CERTIFICATE OF ANALYSIS

ACCURATE TEST LAB

Customer: Honest PPD
1038 Arlington St
Orlando, FL 32805

Batch #: PSCWS240617

Laboratory Number: ATL-22999

Report Issue Date: 8/5/2024

Order Date: 7/30/2024

Analysis Date: 8/3/2024

Sample Description:
Vape Cartridge - Water Slide

Unit Weight: 1g / Cartridge

Extraction Technician: LL

Analytical Chemist: LL

Kim Dang
Laboratory Manager

CANNABINOID PROFILE- EXPANDED

Analyte	LOQ (mg/g)	Results mg/cartridge	%
840.76	<0.011	N/D	N/D
CBDV	<0.011	N/D	N/D
CBD-A	<0.008	N/D	N/D
CBG-A	<0.008	N/D	N/D
CBG	<0.007	N/D	N/D
CBD	<0.014	N/D	N/D
THCV	<0.008	N/D	N/D
D8-THCV	<0.004	N/D	N/D
THCV-A	<0.005	N/D	N/D
CBN	<0.011	N/D	N/D
D9-THC	<0.014	N/D	N/D
D8-THC	<0.005	N/D	N/D
9S-D10-THC	<0.005	N/D	N/D
9R-D10-THC	<0.002	N/D	N/D

Analyte	LOQ (mg/g)	Results mg/cartridge	%
9S-HHC	<0.009	N/D	N/D
9R-HHC	<0.013	N/D	N/D
CBC	<0.009	N/D	N/D
CBC-A	<0.005	N/D	N/D
THC-A	<0.005	N/D	N/D
D9-THCH	<0.006	818.760	81.876
D8-THCH	<0.009	N/D	N/D
D9-THCP	<0.009	N/D	N/D
D8-THCP	<0.010	N/D	N/D
D8-THCO	<0.007	N/D	N/D
D9-THCO	<0.005	N/D	N/D
9S-HHCP	<0.010	N/D	N/D
9R-HHCP	<0.010	N/D	N/D
11-OH-D8-THC	<0.005	N/D	N/D

Analyte	LOQ (mg/g)	Results mg/cartridge	%
1S-H4CBD	<0.012	N/D	N/D
1R-H4CBD	<0.025	N/D	N/D
D9-THCB	<0.004	N/D	N/D
D8-THCB	<0.007	N/D	N/D

	mg/cartridge	%
Max Active THC	N/D	N/D
Max Active CBD	N/D	N/D
Total Active Cannabinoids	818.76	81.88
Total Cannabinoids	818.76	81.88

NOTES:

Cannabidivarinic Acid(CBDVA) Cannabidivarin(CBDV) Cannabidiolic Acid(CBDA) Cannabigerolic Acid(CBGA) Cannabigerol(CBG) Cannabidiol(CBD)
Tetrahydrocannabivarin(THCV) Tetrahydrocannabivarinic Acid(THCVA) Cannabinol(CBN) Delta-9-Tetrahydrocannabinol(D9-THC) Delta-8-Tetrahydrocannabinol(D8-THC)
9S-Delta-10- Tetrahydrocannabinol(9S-D10-THC) 9R-Delta-10-Tetrahydrocannabinol(9R-D10-THC) 9S-Hexahydrocannabinol(9S-HHC) 9R-Hexahydrocannabinol(9R-HHC) 11-Hydroxy-THC (11-OH-D8-THC)
Cannabichromene(CBC) Cannabichromenic Acid(CBCA) Tetrahydrocannabinolic Acid(THCA) Delta-9-Tetrahydrocannabiphorol(D9-THCP) Delta-8- Tetrahydrocannabinol-O-Acetate (D8-THCO) Tetrahydrocannabihexol (THCH)

Reporting Limits will vary based on sample extraction weight used for the analysis. Accurate Test Lab, LLC utilizes based upon traceable Reference Standards and Certified Reference Material to calibrate analytical instruments along with proven analytical methods. The methods are applied in the most ethical manner following good laboratory practice guidelines.
The results of this report are based solely on the sample submitted and cannot be reproduced. Results only apply to samples within COA as received.
Certificate of Analysis shall not be reproduce except in full without approval of Accurate Test Lab, LLC.
N/D: Not Detected LOQ: Limit of quantification
Analysis Method: ATL-LCM-001. Accurate Test Lab estimated expanded uncertainty is 13% as per in VALIDATION AND VERIFICATION OF ATL-LCM-001 (ATL-500A)

Accurate Test Lab, LLC 1305 NW 65th Pl, Fort Lauderdale FL, 33309 USA.
(954) 515 - 0200
info@accuratetestlab.com