

# Pure P 1g Pod Disposable

Sample ID: ATL-23387

Internal Lab ID:

Client

Strain: Blazy Sunday

Honest PPD

Matrix: Concentrates & Extracts

Received: 08/22/2024

Lic. #

Type: Distillate

Completed: 10/21/2024

1038 Arlington St

Unit Weight: 1 g

Batch#: PSBBS24060501

Orlando, FL 32805



## Summary

| Test              | Date Tested | Result   |
|-------------------|-------------|----------|
| Batch             |             | Pass     |
| Cannabinoids      | 08/22/2024  | Complete |
| Residual Solvents | 10/14/2024  | Pass     |
| Microbials        | 10/15/2024  | Pass     |
| Pesticides        | 10/15/2024  | Pass     |
| Heavy Metals      | 10/21/2024  | Pass     |
| Foreign Matter    | 10/15/2024  | Pass     |

Pass/Fail criteria based on CMTL sample testing Florida Department of Health Emergency Rule for 2020. Measures of uncertainty are considered when deciding PASS/FAIL results. Analysis Method: ATL-PHI-001

## Basic Potency

Complete

|                        |                        |                                     |
|------------------------|------------------------|-------------------------------------|
| <b>ND</b><br>Total THC | <b>ND</b><br>Total CBD | <b>83.87%</b><br>Total Cannabinoids |
|------------------------|------------------------|-------------------------------------|

| Analyte          | LOQ  | Result | Result  | Analyte        | LOQ  | Result       | Result       |
|------------------|------|--------|---------|----------------|------|--------------|--------------|
|                  | %    | %      | mg/unit |                | %    | %            | mg/unit      |
| CBDVa            | 0.01 | ND     | ND      | 9S-HHC         | 0.01 | ND           | ND           |
| CBDV             | 0.01 | ND     | ND      | 9R-HHC         | 0.01 | ND           | ND           |
| CBDa             | 0.01 | ND     | ND      | Δ9-THCH        | 0.01 | ND           | ND           |
| CBGa             | 0.01 | ND     | ND      | Δ8-THCH        | 0.01 | ND           | ND           |
| CBG              | 0.01 | ND     | ND      | Δ9-THCP        | 0.01 | 83.87        | 838.7        |
| CBD              | 0.01 | ND     | ND      | Δ8-THCP        | 0.01 | ND           | ND           |
| THCV             | 0.01 | ND     | ND      | Δ8-THCO        | 0.01 | ND           | ND           |
| Δ8-THCV          | 0.00 | ND     | ND      | Δ9-THCO        | 0.01 | ND           | ND           |
| THCVa            | 0.01 | ND     | ND      | 9(S)-HHCP      | 0.01 | ND           | ND           |
| CBN              | 0.01 | ND     | ND      | 9(R)-HHCP      | 0.01 | ND           | ND           |
| Δ9-THC           | 0.01 | ND     | ND      | 11-Hydroxy-THC | 0.01 | ND           | ND           |
| Δ8-THC           | 0.01 | ND     | ND      | 1(S)-H4-CBD    | 0.01 | ND           | ND           |
| (6aR,9S)-d10-THC | 0.01 | ND     | ND      | 1(R)-H4-CBD    | 0.03 | ND           | ND           |
| (6aR,9R)-d10-THC | 0.00 | ND     | ND      | Δ9-THCB        | 0.00 | ND           | ND           |
| CBC              | 0.01 | ND     | ND      | Δ8-THCB        | 0.01 | ND           | ND           |
| CBCa             | 0.01 | ND     | ND      | CBDp           | 0.01 | ND           | ND           |
| THCa             | 0.01 | ND     | ND      | <b>Total</b>   |      | <b>83.87</b> | <b>838.7</b> |

Document ID: ATL-225, Rev 05, Effective Date: 03 October 2023; Date Tested: 08/22/2024

|   |   |                               |
|---|---|-------------------------------|
| <b>NT</b><br>Not Tested<br>Moisture Content | <b>NT</b><br>Not Tested<br>Water Activity | <b>Pass</b><br>Foreign Matter |
|---|---|-------------------------------|



Paulo Gonzalez  
Laboratory Manager  
10/21/2024

Confident LIMS  
All Rights Reserved  
coa.support@confidentlims.com  
(866) 506-5866  
www.confidentlims.com





# Pure P 1g Pod Disposable

Sample ID: ATL-23387

Internal Lab ID:

Client

Strain: Blazy Sunday

Honest PPD

Matrix: Concentrates & Extracts

Received: 08/22/2024

Lic. #

Type: Distillate

Completed: 10/21/2024

1038 Arlington St

Unit Weight: 1 g

Batch#: PSBBS24060501

Orlando, FL 32805

## Pesticides

Pass

| Analyte             | Limit | Result | Status | Analyte                 | Limit  | Result | Status |
|---------------------|-------|--------|--------|-------------------------|--------|--------|--------|
|                     | PPB   | PPB    |        |                         | PPB    | PPB    |        |
| Acephate            | 100.0 | ND     | Pass   | Fipronil                | 100.0  | ND     | Pass   |
| Acequinocyl         | 100.0 | NR     | NT     | Fludioxonil             | 100.0  | ND     | Pass   |
| Azoxystrobin        | 100.0 | ND     | Pass   | Imazalil                | 100.0  | ND     | Pass   |
| Bifenazate          | 100.0 | ND     | Pass   | Kresoxim Methyl         | 100.0  | ND     | Pass   |
| Bifenthrin          | 100.0 | ND     | Pass   | Malathion               | 200.0  | ND     | Pass   |
| Boscalid            | 100.0 | ND     | Pass   | Metalaxyl               | 100.0  | ND     | Pass   |
| Captan              | 700.0 | ND     | Pass   | Methiocarb              | 100.0  | ND     | Pass   |
| Carbaryl            | 500.0 | ND     | Pass   | Mevinphos               | 100.0  | ND     | Pass   |
| Carbofuran          | 100.0 | ND     | Pass   | Myclobutanil            | 1.000  | ND     | Pass   |
| Chlorantraniliprole | 1000  | ND     | Pass   | Naled                   | 250.00 | ND     | Pass   |
| Chlordane           | 100.0 | ND     | Pass   | Paclbutrazol            | 100.0  | ND     | Pass   |
| Chlorfenapyr        | 100.0 | ND     | Pass   | Parathion Methyl        | 100.0  | ND     | Pass   |
| Chlorpyrifos        | 100.0 | ND     | Pass   | Pentachloronitrobenzene | 150.00 | ND     | Pass   |
| Clofentezine        | 200.0 | ND     | Pass   | Permethrin              | 100.0  | NR     | NT     |
| Coumaphos           | 100.0 | ND     | Pass   | Phosmet                 | 100.0  | ND     | Pass   |
| Cyfluthrin          | 500.0 | NR     | NT     | Piperonyl Butoxide      | 3000   | ND     | Pass   |
| Cypermethrin        | 500.0 | NR     | NT     | Propiconazole           | 100.0  | ND     | Pass   |
| Diazinon            | 100.0 | ND     | Pass   | Propoxur                | 100.0  | ND     | Pass   |
| Dichlorvos          | 100.0 | ND     | Pass   | Pyrethrins              | 500.0  | ND     | Pass   |
| Dimethoate          | 100.0 | ND     | Pass   | Pyridaben               | 200.0  | NR     | NT     |
| Dimethomorph        | 200.0 | ND     | Pass   | Spiroxamine             | 100.0  | ND     | Pass   |
| Ethoprophos         | 100.0 | ND     | Pass   | Tebuconazole            | 100.0  | ND     | Pass   |
| Etofenprox          | 100.0 | ND     | Pass   | Thiamethoxam            | 500.0  | ND     | Pass   |
| Etoxazole           | 100.0 | ND     | Pass   | Trifloxystrobin         | 100.0  | ND     | Pass   |
| Fenoxycarb          | 100.0 | ND     | Pass   |                         |        |        |        |



Date Tested: 10/15/2024

Action limits based on Florida Department of Agriculture and Consumer Services, Rule 5K-4.034 § 5(b)



Paulo Gonzalez  
Laboratory Manager  
10/21/2024

Confident LIMS  
All Rights Reserved  
coa.support@confidentlims.com  
(866) 506-5866  
www.confidentlims.com



## Pure P 1g Pod Disposable

|                                 |                         |                   |
|---------------------------------|-------------------------|-------------------|
| <b>Sample ID:</b> ATL-23387     | <b>Internal Lab ID:</b> | <b>Client</b>     |
| Strain: Blazy Sunday            |                         | <b>Honest PPD</b> |
| Matrix: Concentrates & Extracts | Received: 08/22/2024    | Lic. #            |
| Type: Distillate                | Completed: 10/21/2024   | 1038 Arlington St |
| Unit Weight: 1 g                | Batch#: PSBBS24060501   | Orlando, FL 32805 |

### Microbials

Pass

| Analyte                       | LOD<br>CFU/g | Result<br>CFU/g    | Status |
|-------------------------------|--------------|--------------------|--------|
| Aerobic Bacteria              | 10           | NR                 | NT     |
| Aspergillus                   | 1            | Not Detected in 1g | Pass   |
| Shiga toxin-producing E. Coli | 1            | Not Detected in 1g | Pass   |
| Enterobacteriaceae            | 10           | NR                 | NT     |
| Salmonella                    | 1            | Not Detected in 1g | Pass   |
| Staphylococcus aureus         | 10           | NR                 | NT     |
| Yeast & Mold                  | 10           | ND                 | Pass   |

Document ID: ATL-235, Rev 01, Effective Date: 13 May 2022

Date Tested: 10/15/2024

Pass/Fail criteria based on CMTL sample testing Florida Department of Health Emergency Rule for 2020. Measures of uncertainty are considered when deciding PASS/FAIL results. Analysis Method: ATL-PHI-002 and ATL-PHI-004.

### Foreign Matter

Pass

| Analyte                | Limit<br>% by weight | Result<br>% by weight | Status |
|------------------------|----------------------|-----------------------|--------|
| Packaging Contaminants | 0.01                 | <LOD                  | Pass   |
| Insects                | 0.01                 | <LOD                  | Pass   |
| Feces                  | 0.005                | <LOD                  | Pass   |
| Mold                   | 0.01                 | <LOD                  | Pass   |
| FM Other               |                      | <LOD                  | Pass   |
| Hair                   | 0.01                 | <LOD                  | Pass   |

Document ID:

Date Tested: 10/15/2024

Pass/Fail criteria based on CMTL sample testing Florida Department of Health Emergency Rule for 2020. Measures of uncertainty are considered when deciding PASS/FAIL results. Analysis Method: ATL-PHI-001

### Heavy Metals


Pass

| Analyte | LOQ<br>µg/g | Limit<br>µg/g | Result<br>µg/g | Status |
|---------|-------------|---------------|----------------|--------|
| Arsenic | 100         | 1500          | ND             | Pass   |
| Cadmium | 100         | 500           | ND             | Pass   |
| Lead    | 100         | 500           | ND             | Pass   |
| Mercury | 100         | 3000          | ND             | Pass   |

Date Tested: 10/21/2024

Passed - Analyte/microbe is not detected or is at the level below the action limit per FL rule 64ER20-39, 5K-4.036, 5K-4.034. Failed - Analyte/microbe is at the level that equal or above the action limit per FL rule 64ER20-39, 5K-4.036, 5K-4.034



  
Paulo Gonzalez  
Laboratory Manager  
10/21/2024

Confident LIMS  
All Rights Reserved  
coa.support@confidentlims.com  
(866) 506-5866  
www.confidentlims.com





## Pure P 1g Pod Disposable

Sample ID: ATL-23387

Internal Lab ID:

Client

Strain: Blazy Sunday

Honest PPD

Matrix: Concentrates & Extracts

Received: 08/22/2024

Lic. #

Type: Distillate

Completed: 10/21/2024

1038 Arlington St

Unit Weight: 1 g

Batch#: PSBBS24060501

Orlando, FL 32805

### Residual Solvents

Pass

| Analyte             | LOQ  | Limit | Result  | Status |
|---------------------|------|-------|---------|--------|
|                     | µg/g | µg/g  | µg/g    |        |
| 1,1 Dichloroethene  | 0.7  | 8     | ND      | Pass   |
| Ethylene Dichloride | 0.2  | 2     | ND      | Pass   |
| Acetone             | 59   | 750   | ND      | Pass   |
| Acetonitrile        | 5    | 60    | ND      | Pass   |
| Benzene             | 0.08 | 1     | ND      | Pass   |
| Chloroform          | 0.2  | 2     | ND      | Pass   |
| Ethanol             | 79   | 5000  | ND      | Pass   |
| Ethyl Acetate       | 20   | 400   | ND      | Pass   |
| Ethyl Ether         | 40   | 500   | ND      | Pass   |
| Ethylene Oxide      | 0.4  | 5     | ND      | Pass   |
| Heptane             | 40   | 5000  | ND      | Pass   |
| Isopropanol         | 40   | 500   | <40.000 | Pass   |
| Methanol            | 20   | 250   | ND      | Pass   |
| Methylene Chloride  | 10   | 125   | ND      | Pass   |
| Butane              | 71   | 5000  | ND      | Pass   |
| Hexane              | 5    | 250   | ND      | Pass   |
| Pentane             | 59   | 750   | ND      | Pass   |
| Propane             | 165  | 5000  | ND      | Pass   |
| Toluene             | 12   | 150   | ND      | Pass   |
| Trichloroethene     | 2    | 25    | ND      | Pass   |
| Xylenes             | 12   | 150   | ND      | Pass   |




Document ID: ATL-230, Rev 01, Effective Date: 13 May 2022

Date Tested: 10/14/2024

Action limits based on Florida Department of Agriculture and Consumer Services, Rule 5K-4.034 § 5(c); Expanded uncertainty = ±25% considered for PASS/FAIL; Test Method ATL-GCM-001



  
Paulo Gonzalez  
Laboratory Manager  
10/21/2024

Confident LIMS  
All Rights Reserved  
coa.support@confidentlims.com  
(866) 506-5866  
www.confidentlims.com

